

I. *A Catalogue of the Fifty Plants from Chelsea Garden, presented to the Royal Society by the Company of Apothecaries, for the Year 1734, pursuant to the Direction of Sir Hans Sloane, Bart. Med. Reg. Præf. Col. Reg. Med. & Soc. Reg. By Isaac Rand, Apothecary, F. R. S. Hort. Chel. Præf. ac Prælec. Botan.*

601. **A**BSINTHIUM insipidum, Absinthio vulgari simile. C. B. 139.

602. Absinthium maritimum album. Ger. Emac. 940.

Absinthium Romanum Offic. Lond. ramulis expansis.

603. Absinthium maritimum; ramulis & capitulis erectis.

604. Absinthium maritimum, fruticosus; ramulis erectis; tenuissime divisis foliis.

605. Apium dulce; radice Rapæcea. D. Jussieu.

606. Apium Macedonicum. C. B. 154.

Petroselinum Macedonicum. Officin.

607. Apium Pyrenaicum, Thapsiæ facie. T. Inf. 305.

608. Apium Thapsiæ facie, majus & elatius.

Apium Petræum sive montanum album. I. B. Parisiensium.

609. Apium, Thapsiæ facie, medium.

610. *Asclepias albo flore.* C. B. Pin. 303.
*Asclepias, sive Vincetoxicum multis, floribus
 albicantibus.* I. B. 2. 138. *Vincetoxicum*
 Dod. Pempt. 407.
611. *Asclepias Angustifolia flore flavescente.*
 H. R. Par.
612. *Aster ramosus, annuus Canadensis.* Tourn.
 Inst. 482.
613. *Aster annuus, foliis variis, flore amplo
 peramœnè purpureo.*
*Kiang-sita Sinensis, D. Juslieu. Aster Che-
 nopodii folio annuus ; flore ingenti speci-
 osò.* Hort. Elt. Tab. XXXIV.
614. *Aster Americanus, latissimo aurito & ferra-
 to folio ; floribus albidis umbellatim dispositis. An
 Aster Canadensis foliis imis amplioribus cor-
 datis & ferratis ?* D. Sarrazin. Ac. Reg.
 Par. 1720.
615. *Aster Americanus præcox, angustifolius ;
 parvo albente flore.*
616. *Aster Novæ Angliæ, Linariæ foliis ; Cha-
 mæmeli floribus.* Par. Bat. 96.
617. *Aster Virginianus, latifolius præcocior ;
 purpurascente parvo flore.* Park. Theat.
Asteriscus latifolius autumnalis. Cor-
 nut. 64.
618. *Cnicus cæruleus, humilis, Montis Lupi.*
 H. L. Bat.
619. *Eruca Tanaceti folio.* H. Reg. Par.
620. *Fagopyrum Americanum angustifolium,
 procumbens ; caulibus Lappaceis.*
621. *Fagopyrum vulgare scandens.* T. Inst. 511.
622. *Genista tinctoria.* Ger. Emac. 1136.
623. Ge-

623. Genista tinctoria maxima Austriaca. D. Boerhaave.

624. Granadilla flore albo, fructu reticulato. Boerh. Ind. 82.

625. Granadilla oblongo acuminato folio, flore purpureo.

An *Granadilla folio oblongo serrato, flore purpureo*. D. Houston?

626. Lapathum Ægyptiacum annuum; Parietariæ folio; capsula seminis longius barbata. H. Pisan.

627. Lapathum aquaticum; folio cubitali. C. B. 116.

628. Lapathum hortense, rotundifolium sive montanum. C. B. 115.

629. Lapathum rotundifolium, maximum. q. *Rhaponticum* Officin.

630. Lapathum fativum. Dod. 618. q. *Patientia* Officin.

631. Medicago annua Trifolii facie. T. Inst. p. 412.

632. Medicago maritima trifolia annua polycarpus; fructu toroso non spinoso. D. Micheli, Hort. Pis. p. 110.

633. Persicaria perennis repens latifolia.

634. Pulegium angustifolium. C. B. 222.

Pulegium Cerwinum. Offic.

635. Pulegium angustifolium flore albo. H. Reg. Par. *Planta est precedente fere triplo major*.

636. Pulegium latifolium. C. B. 222.

637. Pulegium latifolium erectum.

638. Scorpioides; Bupleuri folio. C. B. Pin. 287.

639. *Scorpioides filiqua crassa* Boelit. Ger. Emac. App. 1627.
640. *Scorpioides filiqua striata, minus aspera.*
641. *Scrophularia flore luteo.* C. B. 236.
642. *Scrophularia folio Urticæ.* C. B. 236
Scrophularia peregrina. Cam. Hort. Icon. 43.
643. *Scrophularia Lamii folio.* D. Bobart.
644. *Scrophularia nemorensis; folio Urticæ rugoso; flore atro-punicante.* H. C. Boerh. Ind. Alt. 234.
645. *Scrophularia Orientalis foliis Cannabinis.* T. Cor. 9.
646. *Scrophularia Sexatilis, lucida, Laferpitii Maffiliensis foliis.* Boc. Mus. 166.
647. *Scrophularia Scorodoniæ folio.* Mor. Hist. Ox. 482.
648. *Tragopogon Gramineo folio; suaverubente flore.* Col. 231.
649. *Tragopogon luteum, foliis gramineis; caule purpurascente.* Boerh. Ind. Alt. p. 90.
650. *Xeranthemum flore simplici purpureo minore.* T. Inst. 499.